



Bottle Filling Station
Freestanding

EcoStream Water Refill Station

This refill station is designed to deliver pure, refreshing water while prioritising environmental sustainability.

- Eco-conscious materials
- Touch-free dispensing for hygienic use
- Custom-branding options available



Product features and benefits



Pure water, on-the-go

The EcoStream is a fast, easy to maintain solution that allows guests to top up their water bottle with refreshing water.

To ensure the water's purity, a built-in 100-micron strainer acts as the first line of defence, effectively stopping particles and impurities before they can enter the waterway.

This guarantees that every sip you take is of the highest quality and refreshment.



High-quality design and eco-friendly

The durability of this refill station makes it an ideal choice for high-traffic areas like offices, schools, gyms, and public spaces.

Its robust construction ensures reliable performance busy environments.

This refill station will help reduce the consumption of single-use plastic water bottles. This significantly decreases the amount of plastic waste generated, which is a major contributor to environmental pollution and landfill overflow.

Track how many plastic bottles you save from waste with the built in bottle counter.

60
L/H

FLOW RATE



Ease of use

The contactless activation feature of the EcoStream refill station ensures a hygienic and convenient experience.

By simply waving your hand near the dispenser, the programmable auto shut-off mechanism guarantees that water flow stops automatically, reducing unnecessary wastage.


The large and open dispense area ensures a range of different sized water bottles can be refilled with ease.



For businesses and organisations looking to add a personal touch, the EcoStream offers bespoke branding opportunities on the outer casing.



Technical specifications



Water options

Ambient Cold Hot



Specifications

Model	EcoStream Water Refill Station
Dimensions W x H x D	700 mm x 1650 mm x 360 mm
Variants	Cold , or Ambient
Dispensing area height	330 mm
Drip tray capacity	N/A
External Waste	Yes, 32mm or 40 mm upstand required
Drip tray capacity	N/A
Cold tank capacity	1.5L

Technology and performance

Water purification system	Inline UV water purification
Antimicrobial protection	Freshield [®] Anitmicrobial protection
Recommended filtration	High volume carbon filter
Refrigerant gas	R600a
Cooling technology	In tank
Electrical consumption	Chilled: 347W, Ambient: 7W
Dispensing capacity (flow rate - Ltrs/hour)	60L
Max operating pressure	2.5 bar, 15mm isolation valve
CO2 operating pressure	No sparkling option

Installations requirements

Power supply	230V / 50Hz
Water supply	Potable Water / Min Pressure 2bar
CO2 Gas	N/A
Installation location	Indoor
Ventilation	An air gap of 100mm is required

CulliganTM
Water you love.TM