



Surface Mount Bottle Filling Stations

Safely and reliably refills large bottles with non-chilled water in busy spaces.

- Low-profile, space saving design for on-the-go use
- Manual or contactless models available
- Suitable for indoor and outdoor applications



PWSMSBF



PWSMEBFY

Product features and benefits



Modern, sleek design

These bottle filling stations do not require a cut-out for wall mounting - only a small cut for the water line and drain.

It is designed to be accessible and can be easily installed at lower heights for access by children and disabled users.



Added protection for hygienic use

Freshield® utilises a silver-based antimicrobial compound to protect the surfaces from discoloration, odors and degradation caused by the growth of micro-organisms and mildew.


These units also have built in filtration.



Suitable for indoor or outdoors

Brushed stainless steel outer cabinet is durable and hard-wearing, making it a long-lasting unit.


This bottle filler is sturdy and reliable - built to withstand high demand and suitable for indoor and outdoor use for all types of weather conditions.




Bottle counter on contactless model, reducing single use plastic.



Technical specifications



PWSMSBF



PWSMEBFY

Specifications

Model	PWSMSBF	PWSMEBFY
Filtration	Option to add a filter	Option to add a filter
H x W x D (mm)	630 x 413 x 144	630 x 413 x 144
Dispensing area height (mm)	330	330
Weight	5 Kg	5 Kg
Chilled water production	N/A - remote chiller option available*	N/A - remote chiller option available*

Installation requirements

Power supply	N/A	220-240V, 50/60 Hz
Water supply	Minimum 2.5 Bar	Minimum 2.5 Bar
Mains waste	Requires mains waste	Requires mains waste
Ventilation	N/A	N/A

Water options

Ambient	Cold	Hot
		

Note: Chiller units sold for these models must be remotely located, as they do not fit into the housing of the unit, or inside the wall cavity of a typical stud wall.

Culligan™

Water you love.™

culligan.co.uk
0333 600 1845
sales.cuk@culligan.co.uk

